EML: Submission and Discovery of Ecological Metadata

Corinna Gries, Peter McCartney, Robin Schoeninger, Amy Sundermier

EML: Ecological Metadata Language

s a working draft of the metadata standards developed by the ASU BDI research project in conjunction with the LTER Network for Biocomplexity (KNB) Project at the National Center for Environmental Analysis and Synthesis (NCEAS). It plications that will enhance the management of and access to ecological data. The approach taken here is to represent re in which generic descriptors are positioned close to the root of the tree, and more specific ones at the ends of the or design and implementation is XML (eXtensible Markup Language) - a revolutionary hierarchical data structuring based on existing standards from Data standards organizations (Federal Geographic Standards Committee FGDC, from Standard Organizations (National Biological Information Infrastructure NBII).

source. The design concept then identifies as shown here), collection, model, software, s own descriptive schema that extends the y describing everything as a "resource," our lasses of resource at once.

Protocol
contains information about methods, software, equipment, and QA QC procedures employed

Physical
description of physical location of the entity and how to obtain access

Research Project
information about the site, experimental design and research staff

Dataset Module

Literature Module

Resource Fields Common To All Modules

Me ria:

Fields Specific To The Different Modules

g built after the model of tax entry programs.
nter data into appropriate fields, pulls
data compiled by certain other programs (e.g.
he input, reverse engineering, and conversion
EML file or loaded into a database.

Xanthoria Web Application

ase choose
en individual,
tion or position
name

This field is required

An administrative area is a State in the US or a Province in Canada

The Generated EML

This research is supported by National Science Foundation – Biological Data Infrastructure grant # 9983132