

CHOICE-Development Pilot Program

*Esther Wininger, Daniela Panfil, Brett Bauer,
John Pickwood, and Wesley Miller*

Presentation Outline

Introduction

Project Objective

Research Questions and Method

Results

Challenges

Questions


Introduction

- Background
 - City of Goodyear on track for growth
 - Water supply will likely remain the same/decrease in future
 - Urban heat island concerns
- Sustainability challenge:
 - Incentivize developers to design low-water consumption developments


Project Objective

- Provide *CHOICE* through *incentives*
 - Create pilot incentive program
 - Include monitoring plan


Goal of Incentives



Research Questions



Research Strategy




Technological Analysis


Infrastructure & technology challenges and solutions

Challenges



Urban Surfaces



Urban Landscapes



Low Density



Solutions

Devices

Energy efficient appliances

Water efficient fixtures

Pressure management technology

Leak detection technology

Outdoor water saving technology

"Green" Infrastructure

Bioretention & Bioswales

Rainwater harvesting

Green and cool roofs

Porous & water holding pavement


Master Planning

Increase density

Less pools

Low-water use renewable energy

Expand water reuse
• ex. grey water reuse




Environmental Analysis

Problem

- Rapid population growth impacts water usage.
- Drawing from ancient aquifer water for municipal use.
- Lowering water tables affects surface water and riparian life.
- 70% of household municipal water is used to moisten dirt in the yard.
- To obtain the platinum water award requires zero municipal water usage for landscaping.
- Changing the current water consciousness regarding rainwater: from liability to asset.

What is Passive Rainwater Harvesting?



- An average 1/6 acre parcel receives 4500 gallons per inch of rain. This equals 36000 gallons annually of salt free rainwater.
- With a simple change of topography the rain that falls on a property can be captured in the soil.
- A 2000ft roof can divert 9600 gallons of rainwater which can either be stored in a acistern or directed to a sunken rain garden.

Water scarcity or mismanagement?

- Goodyear residents use an average of 7000 gallons a month of municipal water which equates to 84,000 gallons a year.
- Goodyear has approximately 75,000 residents using municipal water which equals **6.3 billion gallons per year of municipal water.**
- 27,000 gallons of rain that fall per inch, per acre
- Goodyear has 75,000 acres which equates to 2,013,120,000 gallons per inch of rainfall
- The city of Goodyear averages 8 inches of rain annually equates to over **16 billion gallons per year of rainfall.**
- Goodyear residents receives over twice the amount of rainfall than they use in municipal water in an average year!
- And the current paradigm has people using 70% of total household potable municipal water in yards to moisten dirt.

Box A3.2. Estimating Rainfall Runoff Using Rules of Thumb

Rough rule of thumb for calculating rainfall runoff volume on a catchment surface (English units):
You can collect 600 gallons of water per inch of rain falling on 1,000 square feet of catchment surface.

On the really big scale:
You can collect 27,000 gallons of water per inch of rain falling on 1 acre of catchment surface.

Rule of thumb for calculating rainfall volume on a catchment surface (metric units):
You can collect 1,000 liters of water per each 10 millimeters of rain falling on 100 square meters of catchment surface.

On the really big scale:
You can collect 100,000 liters of water per 10 millimeters of rain falling on one hectare of catchment surface.



Economic Analysis

Economic Analysis

- Las Vegas Case Study
 - Conversion from mesic to xeric landscapes with 50% canopy coverage in 5 years
 - Reduced water usage of 30%
 - Reduced water bill cost by 54%
 - Breakeven point was reached in less than 2 years
- Push LEED certified buildings to developers
 - Relatively same cost to build
 - Buyers often overestimate costs of LEED homes
 - People are more likely to buy efficient homes than to convert them
- Incentives for everyone
 - Buyers get better houses and cheaper bills
 - Developers can charge more for the houses with the same costs
 - Landscapers get business for putting in canopy trees

Social Analysis

Social Analysis

- General consumer attitudes are geared towards consumption being “good”
- Society lacks momentum to change attitudes and to reform current institutions, which disincentivize sustainable behavior
- Lack of civic engagement
- Citizens aren't directly facing the scarcity

Solution

- An incentive approach to policy to pull citizens into sustainable behaviors rather than push them
 - Ann Arbor, Michigan (2006)
- Engage citizens in potential policies regarding water supply
 - Boston, Massachusetts (1980)

Political Analysis

Political Analysis

- 1980 Groundwater Management Act
 - Established as a result of consistent annual overdraft
 - Three major goals
 - Control overdraft
 - Sustainable resource allocation
 - augmentation of water through a supply development
 - The City of Goodyear currently receives all physical water supplies from groundwater.
 - Arizona groundwater rules requires sustainable pumping and groundwater replenishment
 - Turf Related Facilities Program
 - Industrial Sites
 - water intensive landscapes

Political Concerns

- Average annual water demand in 2013 and 2014 was 8.0 million gallons per day with a projected increase by 2.4 million gallons per day by 2020.
 - The City of Goodyear signed a subcontract with the Central Arizona Project that allocates an annual 7100 acre-ft of water, with an addition 7100 acre-feet of Cap water from the Arizona tribal community.
- Public outreach between city council and general population
 - With Goodyear's consistent increase in population, the need to generate public awareness regarding the issue of water conservation is becoming more necessary in order to meet the city's water conservation goals.
 - The concern around the growing population and water consumption is limiting Goodyear's ability to continue attracting new residents and businesses.

Lessons learned

- Interconnectedness of problems and solutions
- Printed agendas and supporting documentation facilitate collaboration
 - Faster meeting
 - Focused meeting

Future Challenges

- Pilot program tiers reasonable & push for change
 - Not too challenging that no one attempts
- Pilot program feasibility
- Further stakeholder engagement

Sources

- Ben-Horin, E. (2007). *Rainwater as a Resource: A report on three sites demonstrating sustainable stormwater management*. TreePeople. Retrieved from https://www.treepeople.org/sites/default/files/pdf/publications/TreePeople%20-%20Rainwater_as_a_Resource.pdf
- Bijoor, N. S., Pataki, D. E., Haver, D., & Famiglietti, J. S. (2014). A comparative study of the water budgets of lawns under three management scenarios. *Urban Ecosystems*, 17(4), 1095–1117. <http://doi.org/10.1007/s11252-014-0361-4>
- Coutts, A. M., Tapper, N. J., Beringer, J., Loughnan, M., & Demuzere, M. (2013). Watering our cities The capacity for Water Sensitive Urban Design to support urban cooling and improve human thermal comfort in the Australian context. *Progress in Physical Geography*, 37(1), 2–28. <http://doi.org/10.1177/0309133312461032>
- Crewe, K. (2013). Arizona Native Plants and the Urban Challenge. *Landscape Journal: Design, Planning, and Management of the Land*, 32(2), 215–229.
- Gober, P., Brazel, A., Quay, R., Myint, S., Grossman-Clarke, S., Miller, A., & Rossi, S. (2010). Using Watered Landscapes to Manipulate Urban Heat Island Effects. *American Planning Association. Journal of the American Planning Association*, 76(1), 109–121.
- Guhathakurta, S., & Gober, P. (2010). Residential Land Use, the Urban Heat Island, and Water Use in Phoenix: A Path Analysis. *Journal of Planning Education and Research*, 30(1), 40–51. <http://doi.org/10.1177/0739456X10374187>
- Jo, J. H., Carlson, J., Golden, J. S., & Bryan, H. (2010). Sustainable urban energy: Development of a mesoscale assessment model for solar reflective roof technologies. *Energy Policy*, 38(12), 7951–7959. <http://doi.org/10.1016/j.enpol.2010.09.016>
- Luthy, R. G. (2013). Design Options for a More Sustainable Urban Water Environment. *Environmental Science & Technology*, 47(19), 10719–10720. <http://doi.org/10.1021/es403728p>
- MacAdam, J. (2012). *Green Infrastructure for Southwestern Neighborhoods* (No. 1.2). Tucson, Arizona: Watershed Management Group. Retrieved from https://wrrc.arizona.edu/sites/wrrc.arizona.edu/files/WMG_Green%20Infrastructure%20for%20Southwestern%20Neighborhoods.pdf
- Nakayama, T., & Fujita, T. (2010). Cooling effect of water-holding pavements made of new materials on water and heat budgets in urban areas. *Landscape and Urban Planning*, 96(2), 57–67. <http://doi.org/10.1016/j.landurbplan.2010.02.003>
- Ruddell, D. M., & Dixon, P. G. (2013). The energy–water nexus: are there tradeoffs between residential energy and water consumption in arid cities? *International Journal of Biometeorology*, 58(7), 1421–1431. <http://doi.org/10.1007/s00484-013-0743-y>
- Sedlak, D. L. (2014). *Water 4.0: the past, present, and future of the world's most vital resource*. New Haven: Yale University Press. Retrieved from <https://login.ezproxy1.lib.asu.edu/login?url=http://lib.mylibrary.com/detail.asp?id=568297>
- Shashua-Bar, L., Pearlmutter, D., & Erell, E. (2009). The cooling efficiency of urban landscape strategies in a hot dry climate. *Landscape and Urban Planning*, 92(3–4), 179–186. <http://doi.org/10.1016/j.landurbplan.2009.04.005>
- Suzenet, G., Tal, A., & Boymanns, D. (2002). Sustainable Water Management for the City: Technologies for Improving Domestic Water Supply. *Built Environment (1978-)*, 28(2), 138–151.
- US Environmental Protection Agency (EPA). (2016). Water & Energy Efficiency by Sectors. Retrieved February 22, 2016, from <http://www3.epa.gov/region9/waterinfrastructure/municipalities.html>
- Wentz, E. A., & Gober, P. (2007). Determinants of Small-Area Water Consumption for the City of Phoenix, Arizona. *Water Resources Management*, 21(11), 1849–1863. <http://doi.org/http://dx.doi.org.ezproxy1.lib.asu.edu/10.1007/s11269-006-9133-0>
- EPA. (2002, July). How Efficiency Programs Help Water Utilities Save Water and Avoid Costs. Retrieved February 22, 2016, from http://www3.epa.gov/watersense/docs/utilityconservation_508.pdf
- Gober, Patricia, Craig W. Kirkwood, Robert C. Balling, Andrew W. Ellis, and Stephanie Deitrick. "Water Planning Under Climatic Uncertainty in Phoenix: Why We Need a New Paradigm." *Annals of the Association of American Geographers* 100.2 (2010): 356-72. Web. 22 Feb. 2016.
- Guhathakurta, Subhrajit, and Patricia Gober. "The Impact of the Phoenix Urban Heat Island on Residential Water Use." *Journal of the American Planning Association* 73.3 (2007): 317-29. Web. 22 Feb. 2016.
- Hoffman, Andrew J., and Rebecca Henn. "Overcoming the Social and Psychological Barriers to Green Building." *Organization & Environment* 21.4 (2008): 390-419. Web. 22 Feb. 2016.
- LEED | U.S. Green Building Council. (2016). Retrieved February 23, 2016, from <http://www.usgbc.org/leed>
- The Republic. (2014, June 17). Sound off: How are West Valley cities handling water issues? Retrieved February 23, 2016, from <http://www.azcentral.com/story/news/local/southwest-valley/2014/06/17/west-valley-arizona-water-issues-sound-off/10674281/>
- Ruddell, Darren M., and P. Grady Dixon. "The Energy–water Nexus: Are There Tradeoffs between Residential Energy and Water Consumption in Arid Cities?" *International Journal of Biometeorology* 58.7 (2014): 1421-431. Web. 22 Feb. 2016.
- Sovocool, Kent A., Mitchell Morgan, and Doug Bennett. "An In-depth Investigation of Xeriscape as a Water Conservation Measure." *Journal (American Water Works Association)* 98.2 (2006): 82-93. Web. 22 Feb. 2016.
- Service Rates. (16, January 1). Retrieved February 23, 2016, from <http://www.goodyearaz.gov/residents/water-/wastewater-services/utilities-start-stop-billing-appeals-/service-rates#water> within

Sources

- Ambrose, W. A., & Lynn, P.. (1986). Groundwater Recharge: Enhancing Arizona's Aquifers. *Journal (American Water Works Association)*, 78(10), 85–90. Retrieved from <http://www.jstor.org.ezproxy1.lib.asu.edu/stable/41290420>
- Bolund P, Hunhammar S (1999) Ecosystem services in urban areas. *Ecol Econ* 29:293–301. doi:[10.1016/S0921-8009\(99\)00013-0](https://doi.org/10.1016/S0921-8009(99)00013-0)
- Bureau of Reclamation. 2012. Colorado River Basin Water Supply and Demand Study: Study Report, Bureau of Reclamation, Boulder City, NV, 89
- Citron, A. (2010-2011). Working Rivers and Working Landscapes: Using Short-Term Water Use Agreements to Conserve Arizona's Riparian and Agricultural Heritage. *Arizona Journal of Environmental Law Policy* 1(1), 7-24.
- EPA. (2015, September 30). Retrieved from [http://yosemite.epa.gov/r9/sfund/r9sfdocw.nsf/vwsoalphabetic/Phoenix-Goodyear-Airport Area](http://yosemite.epa.gov/r9/sfund/r9sfdocw.nsf/vwsoalphabetic/Phoenix-Goodyear-Airport-Area)
- El Bastawesy M, Ali RR, Al Harbi K, Faid A (2013) Impact of the geomorphology and soil management on the development of waterlogging in closed drainage basins of Egypt and Saudi Arabia. *Environ Earth Sci* 68(5):1271–1283
- Lancaster, B., & Marshall, J. (2008). *Rainwater harvesting for drylands and beyond*. Tucson, AZ: Rainsource Press.
- Ludwig, A. (2006). *Create an oasis with greywater: Choosing, building, and using greywater systems, including branched drains*. Santa Barbara, CA: Oasis Design
- Madrid, D. (2014, February 18). Retrieved from <http://archive.azcentral.com/community/swvalley/articles/20140214epa-goodyear-plume-plan.html>
- Tzoulas K, Korpela K, Venn S, Yli-Pelkonen V, Kazmierczak A, Niemela J, James P (2007) Promoting ecosystem and human health in urban areas using Green Infrastructure: a literature review. *Landsc Urban Plan* 81:167–178. doi:[10.1016/j.landurbplan.2007.02.001](https://doi.org/10.1016/j.landurbplan.2007.02.001)
- Brulle, Robert J. (2010) From Environmental Campaigns to Advancing the Public Dialog: Environmental Communication for Civic Engagement, *Environmental Communication*, 4:1, 82-98
- Fischer, H. (2014, December 24). Arizona ranks fifth in annual population increase. Retrieved February 23, 2016, from <http://azcapitoltimes.com/news/2014/12/24/arizona-ranks-fifth-in-annual-population-increase/>
- Fischer, J., Dyball, R., Fazey, I., Gross, C., Dovers, S., Ehrlich, P. R., ... Borden, R. J.. (2012). Human behavior and sustainability. *Frontiers in Ecology and the Environment*, 10(3), 153–160. Retrieved from <http://www.jstor.org.ezproxy1.lib.asu.edu/stable/41480675>
- Gleick, P. H.. (1998). Water in Crisis: Paths to Sustainable Water Use. *Ecological Applications*, 8(3), 571–579. <http://doi.org.ezproxy1.lib.asu.edu/10.2307/2641249>
- Moran, E. F., & MyiLibrary. (2010). *Environmental social science: Human-environment interactions and sustainability* (1st ed.). Malden, Mass: Wiley-Blackwell.
- Postel, S. (n.d.). Lessons From the Field: Boston Water Conservation Success -- National Geographic. Retrieved February 25, 2016, from <http://environment.nationalgeographic.com/environment/freshwater/lessons-boston-conservation/>

Questions?

Thank you for your time.